

Koudgevormde stalen buisprofielen



volgens EN10219, materiaal S235JRH/S355J2H

Afmetingen in mm	3.0	4.0	4.5	5.0	5.6	6.0	6.3	7.0	7.1	8.0	8.8	10.0	11.0	12.5	14.2	16.0	20.0
40 x 40	x	x		x													
50 x 50	x	x		x		x											
60 x 60	x	x		x		x											
70 x 70	x	x		x		x				x							
80 x 80	x	x	x	x	x	x	x			x		x					
90 x 90	x	x		x	x	x	x			x		x					
100 x 100	x	x		x		x	x		x	x		x		x			
110 x 110		x		x		x	x			x		x					
120 x 120	x	x	x	x	x	x	x		x	x		x		x			
140 x 140	x	x		x	x	x	x		x	x	x	x		x			
150 x 150	x	x		x		x	x			x		x		x			
160 x 160		x		x		x	x			x		x		x	x		
180 x 180				x		x	x			x		x		x		x	
200 x 200				x		x	x			x		x		x	x	x	
220 x 220				x		x	x		x	x		x		x			
250 x 250						x	x			x		x		x		x	
260 x 260							x		x	x	x	x	x	x		x	
300 x 300							x			x		x		x		x	
350 x 350							x			x		x		x		x	
400 x 400										x		x		x		x	x
500 x 500										x		x		x			x



volgens EN10219, materiaal S235JRH/S355J2H

Afmetingen in mm	3.0	4.0	4.5	5.0	5.6	6.0	6.3	7.0	7.1	8.0	8.8	10.0	11.0	12.5	14.2	16.0	20.0
60 x 40	x	x		x													
70 x 40	x	x		x													
80 x 40	x	x		x		x											
80 x 60	x	x		x		x				x							
90 x 50	x	x		x		x											
100 x 40	x	x	x	x													
100 x 50	x	x		x	x	x	x			x							
100 x 60	x	x		x	x	x	x		x	x		x					
100 x 80		x		x		x	x			x							
110 x 70				x													
120 x 40	x	x		x													
120 x 50	x	x		x		x	x										
120 x 60	x	x		x		x	x		x	x		x					
120 x 80	x	x		x		x	x			x		x					
120 x 100		x		x		x	x			x				x			
140 x 40	x	x		x													
140 x 60	x	x		x		x	x			x							
140 x 70	x	x		x		x	x		x	x	x	x					
140 x 80	x	x		x		x	x		x	x		x		x			
150 x 100	x	x		x		x	x			x		x		x			
160 x 80	x	x		x		x	x			x		x		x			
160 x 90		x		x	x	x	x	x	x	x	x	x					
180 x 80		x		x		x				x		x					
180 x 100		x		x	x	x	x		x	x	x	x		x			
180 x 120		x		x		x	x			x		x					
200 x 80	x	x		x		x	x			x		x		x			
200 x 100		x		x		x	x			x		x		x			
200 x 120		x		x		x	x			x		x		x			
200 x 150				x		x				x		x		x			
220 x 120						x	x			x		x		x			
250 x 100		x		x		x				x		x		x			
250 x 150				x		x	x		x	x		x		x		x	
260 x 140						x	x			x		x		x			
260 x 180						x	x			x		x		x			
300 x 100				x		x	x			x		x		x			
300 x 150				x		x				x		x		x		x	
300 x 200				x		x	x			x		x		x		x	
400 x 200							x			x		x		x		x	
400 x 300										x		x		x		x	
450 x 250										x		x		x		x	
500 x 200										x		x		x		x	
500 x 300										x		x		x		x	x

Warmgevormde stalen buisprofielen _____



volgens EN10210, materiaal S355J2H

Afmetingen in mm	2.9	4.0	4.5	5.0	5.6	6.3	7.1	8.0	8.8	10.0	12.5	14.2	16.0	20.0
40 x 40	x	x		x		x	x							
50 x 50	x	x		x		x		x	x					
60 x 60	x	x		x		x		x						
70 x 70		x		x		x		x	x					
80 x 80		x	x	x	x	x	x	x	x	x				
90 x 90			x		x	x	x	x	x	x				
100 x 100		x		x	x	x		x		x	x	x		
110 x 110		x		x		x		x		x				
120 x 120		x	x	x	x	x	x	x		x	x		x	
140 x 140				x	x	x	x	x	x	x	x		x	
150 x 150						x		x		x	x	x	x	x
155 x 155														x
160 x 160						x		x		x	x	x	x	x
180 x 180						x		x	x	x	x		x	x
200 x 200						x		x		x	x	x	x	x
220 x 220						x		x		x	x	x	x	x
250 x 250						x		x		x	x		x	x
260 x 260							x		x	x	x	x	x	x
300 x 300								x		x	x		x	x
350 x 350								x		x	x		x	
400 x 400								x		x	x		x	x



volgens EN10210, materiaal S355J2H

Afmetingen in mm	2.9	4.0	4.5	5.0	5.6	6.3	7.1	8.0	8.8	10.0	12.5	14.2	16.0	20.0
50 x 30	x	x												
60 x 40	x	x		x		x		x						
70 x 40	x	x		x										
80 x 40	x	x		x		x		x		x				
80 x 60				x		x		x		x				
90 x 50		x		x		x	x	x		x				
100 x 50		x	x	x	x	x	x	x		x				
100 x 60			x		x	x	x	x	x	x				
110 x 60			x			x	x							
120 x 60		x		x		x	x	x	x	x				
120 x 80		x		x		x		x		x	x			
120 x 100						x	x	x			x			
140 x 60								x						
140 x 70		x		x		x	x	x	x	x	x			
140 x 80		x		x		x	x	x		x	x			
150 x 75						x		x		x				
150 x 100				x		x		x	x	x	x			
160 x 80		x		x		x		x		x	x			
160 x 90					x	x	x		x	x	x			
180 x 80						x		x		x				
180 x 100					x	x	x	x	x	x	x	x	x	
200 x 100						x		x	x	x	x	x	x	x
200 x 120						x		x		x	x	x	x	x
220 x 120						x		x		x	x	x	x	x
250 x 150						x		x		x	x	x	x	x
260 x 140						x		x		x	x	x	x	x
260 x 180						x		x		x	x	x	x	x
300 x 150								x		x				x
300 x 200								x		x	x		x	x
350 x 150								x		x				
350 x 250								x		x	x		x	
400 x 100						x				x				
400 x 200						x		x		x	x		x	
400 x 300								x		x	x		x	
450 x 250								x		x	x		x	
500 x 100								x			x			
500 x 200						x					x			
500 x 300								x		x	x		x	x